



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (I)
PART II—Section 3—Sub-section (I)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं० 558]

नई दिल्ली, मंगलवार, दिसम्बर 2, 1986/अग्राहायण 11, 1908

No. 558]

NEW DELHI, TUESDAY, DECEMBER 2, 1986/AGRAHAYANA 11, 1908

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में
रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a
separate compilation

उद्योग मंत्रालय

(औद्योगिक विकास विभाग)

नई दिल्ली, 27 नवम्बर, 1986

अधिसूचना

सा.का.नि. 1240(अ) :—पेट्रोलियम नियम, 1976 का और संशोधन करने के लिए कनिष्ठ नियमों का निम्नलिखित प्रारूप, जिसे केन्द्रीय सरकार, पेट्रोलियम अधिनियम, 1934 (1934 का 30) की धारा 4 और धारा 29 की उप-धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए बनाया चाहती है, उक्त अधिनियम की धारा 29 की उपधारा (2) की श्रवणानुसार ऐसे सभी व्यक्तियों की जानकारी के लिए प्रकाशित किया जाता है, जिनके उससे प्रभावित होने की संभावना है और इसके द्वारा यह सूचना दी जाती है कि उक्त प्रारूप नियमों पर उस तारीख से जिसको उस राजपत्र की प्रतियां जिसमें अधिसूचना प्रकाशित की जाती है जनता को उपलब्ध करा दी जाती है से पैंतालीस दिन की अवधि का समाप्ति पर या उसके पश्चात् विचार किया जाएगा।

किन्हीं ऐसे आशेषों या सुझावों पर, जो इस प्रकार विनिश्चित अवधि की समाप्ति से पहले उक्त प्रारूप नियमों की बाह्य किसी व्यक्ति से प्राप्त होंगे, केन्द्रीय सरकार विचार करेगी।

प्रारूप नियम

1. इन नियमों का नाम पेट्रोलियम (संशोधन) नियम, 1986 है।

2. पेट्रोलियम नियम, 1976 में,—

(i) द्वितीय अनुसूची में, प्रारूप 13 में, "जहाँ" शब्द के नीचे, शर्त सं. 3 में, खण्ड (iv) के स्थान पर निम्नलिखित रखा जाएगा, अर्थात् :—

"(iv) जहाँ एक अर्हाते में दो या अधिक टैंकों को लगाया गया है, वहाँ अर्हाते में टैंकों की कुल क्षमता पारम्परिक स्थिर छत टैंकों की दशा में, 60,000 किलो लिटर और प्लंबी छत टैंकों की दशा में 1,20,000 किलो लिटर से अधिक नहीं होगी। विशेष डिजाइन के टैंकों की दशा में, जहाँ एक ही अर्हाते में स्थिर और प्लंबी छत टैंकों का समुच्चय है वहाँ स्थिर छत टैंकों और प्लंबी छत टैंकों की कुल क्षमता 1,20,000 किलो लिटर से अधिक नहीं होगी। ऐसे अर्हाते को यथेष्ट लम्बाई-चौड़ाई का चिनाई की ढाई चेतनों अथवा मध्यवर्ती दीवारों से जो कम से कम 0.6 मीटर ऊंची होनी चाहिए, विभाजित किया जाएगा, ताकि एक टैंक को छतकन से उसी अर्हाते में किसी अन्य टैंक को खतरा पहुंचाने से रोक दिया जाए;

स्पष्टीकरण :—इस खण्ड के प्रयोजन के लिए छोटे-छोटे टैंकों के ऐसा समूह को जिसमें प्रत्येक टैंक का व्यास 9 मीटर से अधिक न हो और क्षमता में कुल मिलाकर 5000 किलोलिटर से अधिक न हो, एक टैंक माना जाएगा। और (2) तृतीय अनुसूची में, "टैंक के निर्माण के लिए सामग्री" से संबंधित पैरा 2 में (i) श्रंक (1) के स्थान पर श्रंकर (क) रखा जाएगा; और

- (ii) "ख धातु को मोटाई" शीर्ष के नीचे खण्ड (ख) में श्रंक "2.6" और "3.3" के स्थान पर, जहाँ जहाँ वे आते हैं, क्रमशः "2.5" और "3.15" श्रंक रखे जाएंगे; और
- (iii) "प्रसामान्य वेंट" से संबंधित पैरा 9 में खण्ड (3) का लोप किया जाएगा।

[फा. सं. 3(3)/81-डीओआर/ईजीजी]

ए.वी. गोकक, संयुक्त सचिव

टिप्पणी: मूल नियम, भारत के राजपत्र, भाग 2, खण्ड 3(i) तारीख 26 जुलाई, 1976 में भारत सरकार के उद्योग मंत्रालय की अधिसूचना सं. सा.का.नि. 497 (प्र) तारीख 30 जून, 1976 द्वारा प्रकाशित किए गए थे और तत्पश्चात् निम्नलिखित द्वारा संशोधित किए गए,

- (i) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 834 तारीख 25 जुलाई, 1980
- (ii) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 493 तारीख 6 मई, 1981
- (iii) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 756 तारीख 28 जुलाई, 1981
- (iv) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 757 तारीख 29 जुलाई, 1981
- (v) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 884 तारीख 15 सितम्बर, 1982
- (vi) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 315 तारीख 16 मार्च, 1932
- (vii) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 660 तारीख 15 जुलाई, 1982
- (viii) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 661 तारीख 15 जुलाई, 1982
- (ix) भारत के राजपत्र, भाग 2, खण्ड 3(i) में प्रकाशित सरकारी अधिसूचना सं. सा.का.नि. 726(प्र) तारीख 3 सितम्बर, 1985

MINISTRY OF INDUSTRY

(Department of Industrial Development)

New Delhi, the 27th November, 1986

NOTIFICATION

GSR 1240(E).—The following draft of certain rules further to amend the Petroleum Rules, 1976 which the Central Government proposes to make in exercise of the powers conferred by section 4, and sub-section (1) of section 29 of the Petroleum Act, 1934 (30 of 1934), is hereby published as required by sub-section (2) of section 29 of the said Act for the information of all persons likely to be affected thereby; and notice is hereby given that the said draft rules will be taken into consideration on or after the expiry of a period of forty-five days from the date on which the copies of the Official Gazette in which the notification is published are made available to public.

Any objections or suggestions which may be received from any person in respect of the said draft rules before the expiry of the period so specified will be taken into consideration by the Central Government.

Draft Rules

1. These rules may be called the Petroleum (Amendment) Rules, 1986.

2. In the Petroleum Rules, 1976—

- (1) In the Second Schedule, in Form XIII, under the heading 'CONDITIONS', in condition No. 3, for clause (iv), the following shall be substituted, namely:—

"(iv) Where two or more tanks are installed in one enclosure the total capacity of the tanks in the enclosure shall not exceed 60,000 kilolitres in the case of conventional fixed roof tanks and 1,20,000 kilolitres in the case of floating roof tanks. In the case of tanks having a special design (where there is a combination of fixed and floating roof tanks in the same enclosure, then the total capacity of fixed roof tanks and floating roof tanks shall not exceed 1,20,000 kilolitres. Such an enclosure shall be sub-divided by masonry channels of ample dimensions or by intermediate walls of not less than 0.6 m in height to prevent spills from one tank endangering any other tank in the same enclosure.

Explanation:—For the purpose of this clause, a group of small tanks each not exceeding 9m in diameter and in all not exceeding 5000 kilo-litres in capacity shall be treated as one tank." ; and

(2) In Third Schedule, in paragraph 2 relating to "Material of Construction of tanks" for (i) for figure (1), the letter 'A' shall be substituted; and

(ii) under the heading "B. Thickness of metal", in clause (b), for the figures "6" and "3.3" wherever occurring the figures "2.5" and "3.15" respectively shall be substituted; substituted; and

(iii) in paragraph "9, relating to Normal Venting" clause (3) shall be omitted.

[F. No. 3(3)/81-DPR/EGG]

A. V. GOKAK, Jt. Secy.

Note:—The principal rules were published in the Gazette of India Part-II, Section 3(i), dated 26th July, 1976 vide Government Notification Ministry of Industry No. GSR 497(E) dated 30th June, 1976 and was subsequently amended by:

- (i) Government Notification No. G.S.R. 834 dated 25th July, 1980 published in the Gazette of India, Part II, Section 3(i).
- (ii) Government Notification No. GSR 493 dated 6th May, 1981 published in the Gazette of India, Part II, Section 3 (i).
- (iii) Government Notification No. GSR 756 dated 28th July, 1981 published in the Gazette of India, Part II, Section 3(i).
- (iv) Government Notification No. GSR 757 dated 29th July, 1981 published in the Gazette of India, Part II, Section 3(i).

- (v) Government Notification No. GSR 884 dated 15th Sept., 1982 published in the Gazette of India, Part II, Section 3(i).
- (vi) Government Notification No. GSR 315 dated 16th March, 1982 published in the Gazette of India, Part II, Section 3(i).
- (vii) Government Notification No. GSR 660 dated 15th July, 1982 published in the Gazette of India, Part II, Section 3(i).
- (viii) Government Notification No. GSR 661 dated 16th July, 1982 published in the Gazette of India, Part-II, Section 3(i).
- (ix) Government Notification No. GSR 726(E) dated 3rd September, 1985 published in the Gazette of India, Part II, Section 3(i).

